



NISSAN KUBISTAR
TECHNICAL SPECIFICATIONS





GRADES

The Kubistar is a compact van with a load volume of up to 3m³ with the passenger seat folded. Each grade is equipped with a level of specifications to meet needs for easy transport, convenience and comfort. In addition, you can choose from a number of colours, options and accessories to adapt this compact van to your specific requirements. Please contact your local Nissan dealer for a full list of options and accessories available.

E

CARGO AREA ACCESSIBILITY

- Asymmetric unglazed rear doors, opening 180
- 4 load anchorage points
- Door-activated cargo area light
- Load area rubber floor covering

SAFETY & SECURITY

- ABS with EBA
- Driver tubular bulkhead
- Driver airbag
- Height-adjustable 3-point seatbelts (x2)
- Seatbelts with pretensioners and load limiters
- 2-buttons key
- Automatic central door locking
- Engine immobiliser
- Anti drill locks and ignition barrel
- High mounted brake lamp
- Side protection bars

COMFORT AND CONVENIENCE

- Power steering
- Radio CD with integrated display
- Steering wheel audio controls
- Tinted windows
- Front door pockets with bottle holders
- Glove box
- Driver and passenger reclining seats



ACCESS

ADDITIONAL TO E

CARGO AREA ACCESSIBILITY

- Nearside loading door unglazed (Left)

COMFORT AND CONVENIENCE

- Radio CD Player
- Front fog lights
- Front power windows
- Rubber in front floor
- Access black interior trim

SE

ADDITIONAL TO ACCESS

CARGO AREA ACCESSIBILITY

- Load area wheel arches protection

COMFORT AND CONVENIENCE

- Power exterior mirrors
- On-board computer
- Exterior temperature indicator+clock
- Armrest for front seats
- Pocket under driver seat
- Overhead storage shelf
- 3-buttons key with selective opening panel
- Light guidance
- Intelligent wipers
- New interior lighting (auto switch off after 5 min)
- Remote control central door locking
- One-touch power window

Kubistar Technical Specifications

Version		Standard Payload			Increased Payload		
		1.5 dCi 60	1.5 dCi 70	1.5 dCi 80	1.5 dCi 70	1.5 dCi 70	1.5 dCi 80
Engine Emissions Standards		Euro 4			Euro 3	Euro 4	
ENGINE							
Number of Cylinders		4					
Valves per Cylinder		2					
Engine capacity	cm ³	1461					
Bore x Stroke	mm	76 x 80.5					
Maximum Engine Power	hp	60 (45kw)	68 (50kw)	84 (62kw)	65 (48kw)	68 (50kw)	84 (62kw)
	rpm	4000		3750	4000		3750
Maximum Torque	Nm	130	160	200	160		200
	rpm	1250	1500	1750	2000	1500	1750
Compression Ratio		18.25:1					
Fuel Type		Diesel					
Fuel Supply		Common Rail Direct injection					
Battery	Ah	70Ah					
Alternator	Amps	110A	110A (125A with AirCo)	125A	110A (125A with AirCo)		125A
DRIVE TRAIN							
Clutch Type		CPOV 3250			CPOV 4000		
Transmission		5 Speed Manual					
Gearbox Performances	1st *	8.33	8.33	8.45	8.20	8.33	8.45
	2nd *	15.04	15.04	15.37	14.90	15.04	15.37
	3rd *	21.21	21.21	23.83	23.00	21.21	23.83
	4th *	28.85	28.85	32.41	31.30	28.85	32.41
	5th *	37.92	37.92	41.64	40.20	37.92	41.64
	Reverse*	7.90	7.90	8.89	7.90	7.90	8.89
Driven Wheels		FWD					
CHASSIS							
Suspension	Front	MacPherson					
	Rear	4 bars rear axle with anti-roll bar			Reinforced tube rear axle + anti-roll bar		
Power Steering		Standard					
Braking System	Front	Disk 259mm					
	Rear	Drum					
Wheel Size		165/70 R14 R					
Tyre Size		14"					
PERFORMANCE							
Maximum Speed	mph	87	92	97.5	89	92	97.5
	Km/h	140	148	157	143	148	157
Acceleration 0 – 100 Km/h	Sec	17.9	16.0	11.3	16.2	16.0	11.3
Minimum Turning Circle (Kerb to Kerb)		10.4					

Version		Standard Payload			Increased Payload			
		1.5 dCi 60	1.5 dCi 70	1.5 dCi 80	1.5 dCi 70	1.5 dCi 70	1.5 dCi 80	
Engine Emissions Standards		Euro 4			Euro 3	Euro 4		
WEIGHTS								
Kerb Weight	kg	1055	1060	1070	1206	1085	1090	
Gross Vehicle Weight	kg	1675	1685	1690	1895	1885	1890	
Maximum Payload	kg	620	625	620	689	800	800	
Gross Combined Weight	kg	2500			2690			
Maximum Trailer Cap.	Braked	kg	825	815	810	795	805	800
	Unbraked	kg	525	530	535	600	540	545
OVERALL DIMENSIONS								
Length	mm	4035						
Width	mm	1672						
Minimum Height (unladen)	mm	1800						
Wheelbase	mm	2605						
Overhang	Front	mm	730					
	Rear	mm	700					
Track	Front	mm	1400					
	Rear	mm	1410					
Ground Clearance (unladen)	mm	175						
LUGGAGE / CARGO AREA DIMENSIONS								
Maximum Length	mm	1675						
Maximum Length with passenger seat folded ¹⁾	mm	2466						
Maximum Width	mm	1365						
Maximum Height	mm	1257						
Minimum Width between the Wheelarches	mm	1172 (1133 with wheelarch covers)						
Maximum Load Platform Height	mm	520 to 570						
Cargo Volume	m ³	2750						
Cargo Volume with optional folded bulkhead and seat ¹⁾	m ³	3000						
Slide Door	Width	mm	619					
	Height	mm	1093					
Back Door	Width	mm	1219					
	Height	mm	1166					
FUEL TANK								
Fuel tank capacity	l	50						

¹⁾ As part of the modularity pack.

*Km/h at 1000rpm.







Kubistar



Primastar



Interstar

SHIFT_ is an English word from a Japanese car company that best embraces our values and the mission of this corporation. No matter where you are in the world, SHIFT_ is the way we express who we are, how we work and what we are trying to accomplish.

Everything we touch, we SHIFT_ And everything we SHIFT_ we try to make better and uniquely Nissan.

Visit our websites at:

www.nissan.co.uk

www.nissan-lcv.co.uk

Dealer stamp:



SHIFT_business

We take all our environmental responsibilities very seriously - innovation comes today with a deep respect for the environment. Our engines are now much more inobtrusive and their emissions have been considerably reduced. All our vehicles are designed with recycling in mind and are on target to reach 95% recyclability. This brochure is for general guidance only and its content do not in any way constitute an offer or representation from Nissan. Every effort has been made to ensure that the content of this publication is correct at the time of going to press. This brochure has been produced featuring prototypes vehicles exhibited at motor shows. In accordance with the company's policy of continuously improving its products, Nissan Europe reserves the right to change at any time the specifications and the vehicles described and shown in this publication. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your Nissan dealer to receive the most up-to-date information. Because of the limitations of the printing processes used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim materials used. All rights reserved. Reproduction in whole or part of this brochure without the written consent of Nissan Europe is forbidden. Benefits and services are provided by RAC Motoring Services and/or RAC Insurance Limited (Reg'd Nos 1424399 and 2355834 Reg'd office RAC House, 1 Forest Road, Feltham, TW13 7RR). RAC Motoring Services (in respect of insurance mediation activities only) and RAC Insurance Limited are authorised and regulated by the Financial Services Authority and within the jurisdiction of the Financial Ombudsman Service and Financial Services Compensation Scheme. Roadside Assistance has been arranged for you by Nissan and is provided by RAC free of charge. Details of the contractual arrangements under which RAC Services are provided to you are available by calling 0870 366 5603.

This brochure is made from chlorinefree paper. Part number 99999-53067.
Printed in November 2005.